


## 6 x 24 + 7FC

Minimum breaking force factor: 0.280

Nominal rope length mass factor: 0.295

6 x 24 + 7FC



Nominal diameter	Weight 100 m	Minimum Breaking Load 1,770 N/mm <sup>2</sup>	
		kN	kg
6	10.60	17.80	1,820
7	14.50	24.30	2,480
8	18.90	31.70	3,230
9	23.90	40.10	4,090
10	29.50	49.60	5,060
11	35.70	60.00	6,120
12	42.50	71.40	7,280
13	49.90	83.80	8,550
14	57.80	97.10	9,900
16	75.50	127.00	13,000
18	95.60	161.00	16,400
20	118.00	198.00	20,200
22	143.00	240.00	24,500
24	170.00	285.00	29,100
26	199.00	335.00	34,200
28	231.00	389.00	39,700
30	266.00	446.00	45,500